```
CCCCCCCCCCCC  LLL              DDDDDDDDDDD
CCCCCCCCCCCC  LLL              DDDDDDDDDDD
CCCCCCCCCCCC  LLL              DDDDDDDDDDD
CCC           LLL              DDD        DDD
CCC           LLL              DDD        DDD
CCC           LLL              DDD        DDD
CCC           LLL              DDD        DDD
CCC           LLL              DDD        DDD
CCC           LLL              DDD        DDD
CCC           LLL              DDD        DDD
CCC           LLL              DDD        DDD
CCC           LLL              DDD        DDD
CCC           LLL              DDD        DDD
CCC           LLL              DDD        DDD
CCC           LLL              DDD        DDD
CCC           LLL              DDD        DDD
   CCCCCCCCCCC  LLLLLLLLLLLLLLL  DDDDDDDDDDD
   CCCCCCCCCCC  LLLLLLLLLLLLLLL  DDDDDDDDDDD
   CCCCCCCCCC   LLLLLLLLLLLLLLL  D.DDDDDDDDD
```

MACRO

CLD

Version: 'V04-000'

        V03-010 RRB0022 Rowland R. Bradley   21-Jun-1984
                Remove nonnegatable from /DISABLE, /ENABLE, /UPDATE
                and /LIBBRARY.

        V03-009 PCG0001   Peter George   13-Mar-1984
                Remove last vestiges of old command inteface.
                Remove DEFAULT clause from /SHOW qualifier.

        V03-008 RRB0015   Rowland R. Bradley   24-Feb-1984
                Remove default settings for /DISABLE and /ENABLE since
                these override any switches set by the user w/ .ENABLE
                or .DISABLE. Defaults must be set in MACRO.EXE.

        V03-007 RRB0014   Rowland R. Bradley   23-Feb-1984
                Remove disallow of /LIB and /UPDATE. This must be
                handled by the program since context(position) is
                important.

        V03-006 RRB0010   Rowland R. Bradley   25-Jan-1984
                Set correct defaults for /DISABLE, /ENABLE, /SHOW, /LIST,
                and /CROSS_REFERENCE. Inserted "nonnegatable" where apropo.

        V03-005 MTR0003   Mike Rhodes   7-Apr-1983
                Correct the default keyword specification for /DEBUG.

        V03-004 MTR0002   Mike Rhodes   28-Mar-1983
                Modify the OBJECT and LISTING qualifiers to make them positional

        V03-003 MTR0001   Mike Rhodes   24-Mar-1983
                Modify the NOSHOW qualifier to accept a list of show keywords.
                (This is done because negated qualifiers can't have keywords.)

        V03-002 PCA1008   Paul C. Anagnostopoulos 10 Feb 1983
                Merge the outputs list for DCL and MCR, as the new CDU does not
                support separate lists.

        V03-001 MTR0001   Mike Rhodes   9-Feb-1983
                Add 'label' field to parameter specification.
define type enable_options
        keyword ama
        keyword dbg
        keyword fpt
        keyword gbl
        keyword lsb
        keyword tbk
        keyword absolute
        keyword debug
        keyword truncation
        keyword global
        keyword suppression
        keyword traceback

```
define type show_options
        keyword cnd,default
        keyword mc,default
        keyword md,default
        keyword me
        keyword meb
        keyword conditionals
        keyword calls
        keyword definitions
        keyword expansions
        keyword binary

define type crf_options
        keyword all
        keyword directives
        keyword macros,default
        keyword opcodes
        keyword registers
        keyword symbols,default

define type debug_options
        keyword all,default
        keyword none
        keyword symbols
        keyword traceback

define syntax macro_using_mac
        image backtrans

define verb macro
        image macro32
        parameter p1,label=file,
                            prompt="File",value(required,list,type=$infile)
        qualifier disable,      value(required,list,
                                type=enable_options)
        qualifier enable,       value(required,list,
                                type=enable_options)
        qualifier library,      placement=local
        qualifier listing,      placement=positional,
                                value(type=$outfile),batch
        qualifier object,       placement=positional,
                                value(type=$outfile),default
        qualifier show,         value(list,type=show_options)
        qualifier rsx11,        syntax=macro_using_mac
        qualifier noshow,       value(list,type=show_options)
        qualifier cross_reference,
                                value(list,type=crf_options)
        qualifier update,       value(list),placement=local
        qualifier debug,        value(list,type=debug_options)
```

BACKUP
CLD

DCLTABLES
CLD

DISMOUNT
CLD

ENCRYPT
CLD

REPLY
CLD

CLD

CREATE
CLD

MCRINT
CLD

SET
CLD

DCLTABLES
MAP

DEF
CLD

DMO
CLD

LIBRARIAN
CLD

PASCAL
CLD

RUN
CLD

ACC
CLD

BAD
CLD

DCLINT
CLD

DELETE
CLD

DUMP
CLD

EXCHANGE
CLD

MCRTABLES
CLD

PATCH
CLD

CHECKSUM
CLD

ANALYZE
CLD

EDIT
CLD

FORTRAN
CLD

LINK
CLD

MESSAGE
CLD

PHONE
CLD

CLISYM1
CLD

MCRSET
CLD

RUNOFF
CLD

PSECTS
R32

DIFF
CLD

MONITOR
CLD

RECOVER
CLD

MCRTABLES
MAP

CONVERT
CLD

HELP
CLD

MACRO
CLD

DIRECTORY
CLD

SDL
CLD

JNLUSR
MAR

COPY
CLD

EDT
CLD

INIT
CLD

MOUNT
CLD

RENAME
CLD

MAIL
CLD

SEARCH
CLD